Secret Jardin

# For Twenty 100







BRING NATURE HOME WITH SECRET JARDIN

For Twenty 100 is an elegantly designed grow kits that empower you to grow your own vegetables, fruits, herbs, and flowers in the comfort of your home. This user-friendly kit, operating quietly at 24 volts, features the latest technologies for successful home cultivation, combined with lowest consumption.



#### **GARDEN IN YOUR APARTMENT:**

Its intensive *full-spectrum lighting* – a combination of powerful summer-like with some spring-like lighting – makes the **For Twenty 100** perfect for growing tall plants, from cutting & seedling up to the harvest of fruits & flowers.





#### **EXAMPLES OF PLANTATIONS:**

Potential harvest in kg per year in parentheses:

- Tomatoes (30)
- Pepper (15)
- Bell pepper (18)
- Cucumber (30)
- Eggplant (20)
- Zucchini (32)
- Hemp (1)...

## For Twenty 100

60x40x116cm - 100W LED





#### **ALL IN ONE**

This kit includes all hardware needed to start growing: tent, lighting system, ventilation system, circulation fan, and much more.



#### **INTENSIVE GROWING**

Secret Jardin Cosmorrow use PPE2.85 µmol/s/m<sup>2</sup> professional LEDs. Their spectrum is optimized to stimulate growth of your plants. Combined with the highest reflective mylar (90%), it offers unbeatable light performances.



### NO ODOR, NO LIGHT, NO NOISE With the 100% lightproof envelope, low noise

EC engines, and high efficiency carbon filter (sold in option), this grow kit will become your most discreet companion.



#### **EASY ASSEMBLY & SAFE**

All components are easy to assemble by clip system. The electrical components operate on 24 Volts and are splash-proof: no longer be afraid of throwing a bucket of water on your plants!



#### LOW CONSUMPTION & DURABLE

The materials used combined with high-end components make it possible to combine lowest consumption on the market (45 kWh/month) and exceptional lifespan (50,000 hours).

#### **TECHNICAL SPECIFICATIONS**

<b>FOR TWENTY 10</b>	0				
Reference	F	S100			
Designation	For Twenty 100				
Weight (Net)	8.5 kg				
Dimensions Assembled (W x D x H)	60 x 40 x 116 cm				
CONSUMPTION					
Max	140 W				
Monthly					
Light	12 h/d				
kWh	45 kWh				
POWER & PLUGS					
Voltage	20	0-240 V			
Frequency	50	)/60 Hz			
Plug Type, Country	C/G T	ype, UE/UK	(		
LIGHTING					
LED Bulbs	5x (	COP20FS			
Power	j	100 W			
PPE (Bulb)	2.85	µmol/s/W			
PPE	2.70	µmol/s/W			
PPFD					
Grow Area		x40 cm			
Lighting Distance	]	L5 cm			
5x COP20FS	945 1180 135	0 1350	1180	945	
	1180 1755 204	5 2045	1755	1180	
	1180 1755 204	5 2045	1755	1180	
				0.45	
	945 1180 135	1350	1180	945	
	945 1180 135 PPF : 270 µmol/s — Ave				
Spectrum	PPF: 270 μmol/s – Ave		: 1000	umol/s/m²	
Spectrum	PPF: 270 μmol/s – Ave	rage PPFD	: 1000	umol/s/m²	
	PPF: 270 μmol/s – Ave	rage PPFD	: 1000	umol/s/m²	
VENTILATION	PPF: 270 μmol/s – Ave	rage PPFD	: 1000	umol/s/m²	
VENTILATION 2 min cycle (filter on) Extractor (included) Filter (option)	PPF: 270 µmol/s – Ave	rage PPFD  550 600  Full Spect  60 m³/h  10 m³/h	: 1000	umol/s/m²	
VENTILATION 2 min cycle (filter on) Extractor (included)	PPF: 270 µmol/s – Ave	s50 600 Full Spect	: 1000	umol/s/m²	
VENTILATION 2 min cycle (filter on) Extractor (included) Filter (option)	PPF: 270 µmol/s – Ave	rage PPFD  550 600  Full Spect  60 m³/h  10 m³/h	: 1000	umol/s/m²	
VENTILATION 2 min cycle (filter on) Extractor (included) Filter (option) Fan (included)	PPF: 270 µmol/s – Ave	rage PPFD  550 600  Full Spect  60 m³/h  10 m³/h	: 1000	umol/s/m²	
VENTILATION 2 min cycle (filter on) Extractor (included) Filter (option) Fan (included) HEAT MAT	PPF: 270 µmol/s – Ave	rage PPFD  550 600  Full Spect  60 m³/h  10 m³/h	: 1000	umol/s/m²	
VENTILATION 2 min cycle (filter on) Extractor (included) Filter (option) Fan (included) HEAT MAT Included	PPF: 270 µmol/s – Ave	550 600 Full Spect	: 1000	umol/s/m²	

#### **COMPLETE KIT**

Double Door (Transparent & Mylar/Fabric)

Light Timer & Dimmer (24 V)

T° Controlled Extractor (24 V)

OPTION: Active Carbon Anti Odor Filter

Patented Cosmorrow LED Light (24 V)

Low Consumption Circulation Fan (24 V)

Web Plant Support

Light Proof Passive Intake

OPTION: Built-In Thermostat Heat Mat (24 V)

90% Reflective 300d Oxford Fabric

Stainless Steel Poles

Swimming Pool Fibered Liner (300 gr/m²)





#### TEMPERATURE CONTROL VS AMBIANT T°

Depending on the ambient temperature:

15 to 25°C: The kit regulates temperature according to target. Below 15°: Heat up incuming air, except for winter plants. Over 25°C: Cool down incoming air, except for tropical plants.

To boost your plants, the Heat Mat is recommended for:

- 15 to 20°C for all plants
- 15 to 25°C for clones and seeds.



#### **HUMIDITY CONTROL**

The "EXT MIN" (minimum extraction) function of the extractor will ensure that relative humidity does not exceed a given level:

• ~10%: increase humidity

Clones, seeds, tropical plants

- ~25%: moderate effect on humidity Springtime plants (growing)
- ~50%: decrease humidity

Summertime plants (flowering)

#### **REFERENCE, CONSUMABLES & OPTIONS**

REFERENCE	DESIGNATION	EAN CODE
FS100	Summer Kit 60x40x116 cm 100 W	5 425030 267943
HM20	Heating Mat 55x35 cm 20 W	5 425030 267981
DF16F100	DF16 Carbon Filter CTC80 0.4 kg 100 m³/h	5 425030 268070
	FS100 HM20	FS100 Summer Kit 60x40x116cm 100W  HM20 Heating Mat 55x35cm 20W













Secret Jardin Official